

Argentina



COUNTRY INDICATORS AND SDGS








7.a.1 Public flows to renewables


600

500

\$\frac{9}{2}400

2015 2016 2017 2018 2019 2020






TOTAL ENERGY SUPPLY (TES)

Total Energy Supply (TES)	2015	2020
Non-renewable (TJ)	3 133 038	2 807 932
Renewable (TJ)	250 876	279 739
Total (TJ)	3 383 914	3 087 671
Renewable share (%)	7	9


Growth in TES	2015-20	2019-20
Non-renewable (%)	-10.4	-5.2
Renewable (%)	+11.5	-8.3
Total (%)	-8.8	-5.5

2015	2020
644 152	368 482
195 511	340 846
- 448 641	- 27 636
19	12
6	11
89	101
	644 152 195 511 - 448 641 19 6

Total energy supply in 2020



Renewable energy supply in 2020




RENEWABLE ENERGY CONSUMPTION (TFEC)

Renewable TFEC trend


■ Electricity ■ Commercial heat ■ Bioenergy 500 460 441 435 414 399 399 400 Petajoules (PJ) 300 200 100 2018 2015 2016 2017 2019 2020 Consumption by sector 2020 2015 Industry (TJ) 87 633 94 061 Transport (TJ) 54 843 48 893 Households (TJ) 50 861 57 690 Other (TJ) 206 058 212 960


Renewable energy consumption in 2020




ELECTRICITY CAPACITY

Installed capacity trend







Net capacity change in 2022 (MW)




Renewable capacity in 2022



Net capacity change (GW)




Capacity utilisation in 2021 (%)




ELECTRICITY GENERATION

Generation in 2021	GWh	%
Non-renewable	105 240	73
Renewable	38 412	27
Hydro and marine	19 445	14
Solar	2 204	2
Wind	12 938	9
Bioenergy	3 826	3
Geothermal	0	0
Total	143 652	100









LATEST POLICIES, PROGRAMMES AND LEGISLATION

1 Hydrogen Interministerial Table	2023
2 soft credit line for the installation of solar panels	2023
3 Registry of Access to Energy Subsidies (RASE)	2022
4 Resolution No 255/2021 to create the Federal Network of Argentinian Mining Women	2021
5 Law of Solidarity and Extraordinary Contribution to help mitigate the effects of the Pandemic - Natural gas exploration subsidies	2020

ENERGY AND EMISSIONS









Avoided emissions based on tossil tuel mix used for power

CO₂ emission factor for elec. & heat generation




Calculated by dividing power sector emissions by elec. + heat gen.

RENEWABLE RESOURCE POTENTIAL



Biomass potential: net primary production



Indicators of renewable resource potential

Wind power density at 100m height (W/m²)

Solar PV: Solar resource potential has been divided into seven classes, each representing a range of annual PV output per unit of capacity (kWh/kWp/yr). The bar chart shows the proportion of a country's land area in each of these classes and the global distribution of land area across the classes (for comparison).

Onshore wind: Potential wind power density (W/m²) is shown in the seven classes used by NREL, measured at a height of 100m. The bar chart shows the distribution of the country's land area in each of these classes compared to the global distribution of wind resources. Areas in the third class or above are considered to be a good wind resource.

Biomass: Net primary production (NPP) is the amount of carbon fixed by plants and accumulated as biomass each year. It is a basic measure of biomass productivity. The chart shows the average NPP in the country (tC/ha/yr), compared to the global average NPP of 3-4 tonnes of carbon

Sources: IRENA statistics, plus data from the following sources: UN SDG Database (original sources: WHO; World Bank; IEA; IRENA; and UNSD): UN World Population Prospects; UNSD Energy Balances; UN COMTRADE: World Bank World Development Indicators; EDGAR; REN21 Global Status Report; IEA-IRENA Joint Policies and Measures Database; IRENA Global Atlas; and World Bank Global Solar Atlas and Global Wind Atlas.

Additional notes: Capacity per capita and public investments SDGs only apply to developing areas. Energy self-sufficiency has been defined as total primary energy production divided by total primary energy supply. Energy trade includes all commodities in Chapter 27 of the Harmonised System (HS). Capacity utilisation is calculated as annual generation divided by year-end capacity x 8,760h/year. Avoided emissions from renewable power is calculated as renewable generation divided by fossil fuel generation multiplied by reported emissions from the power sector. This assumes that, if renewable power did not exist, fossil fuels would be used in its place to generate the same amount of power and using the same mix of fossil fuels. In countries and years where no fossil fuel generation occurs, an average fossil fuel emission factor has been used to calculate the avoided emissions.

These profiles have been produced to provide an overview of developments in renewable energy in different countries and areas. The IRENA statistics team would welcome comments and feedback on its structure and content, which can be sent to statistics@irena.org.

Last updated on: 8th August, 2023



IRENA Headquarters Masdar City P.O. Box 236, Abu Dhabi United Arab Emirates www.irena.org